The ROYAL MARSDEN

NHS Foundation Trust

GEARS: Your post surgery recovery programme

Primary Laryngectomy patient checklist





Name			
Date of st	ırgery		

We understand that undertaking cancer surgery might be a stressful period. To alleviate some of the stress on your mind and body, we recommend following the GEARS programme.

GEARS stands for:



Get up



 \mathbf{E}_{at}



 $\mathbf{A}_{ ext{nalgesia}}$



 $R_{
m emove}$



Speak up

Day before your surgery

Task		Completed
	Remain active throughout the dayExercise at least once today to raise your heart rate	
	 Maintain your normal diet; no food after midnight Drink carbohydrate preload drink – two sachets (one with your evening meal and one at bedtime) Only drink water after midnight 	
	 Continue regular medications as directed by your pre-assessment nurse 	
	 Shower thoroughly as instructed by your pre-assessment nurse 	
	Call to check your arrival time and detailsPlan details for your discharge to avoid delays	

Morning of surgery

Task		Completed
	– Remain active until your surgery	
	No food after midnightOnly drink water until 6am; nothing after 6amHave your third carbohydrate preload drink by 6am	
	 Continue regular medications as directed by your pre-assessment nurse 	
	– Have a shower before coming to hospital	
	Ask any questions you have before your surgeryPlan details for your discharge to avoid delays	

Immediately after your surgery (if awake*)

*You may be kept asleep overnight following your surgery – if not, follow the steps below

Task		Completed
	- Deep breathing exercises throughout the day	
(6)	– Nil by mouth	
	Learn to use Patient Controlled Analgesia (PCA)Make your team aware if you are in pain	
	– No actions required today	
	 Raise any questions or concerns to your team – (your team will ensure you have a writing tablet available) 	

Day 1 after your surgery

Task		Completed
	 Deep breathing exercises throughout the day Sit out of bed twice for one hour Walk a short distance with the help of physiotherapy/nursing staff if possible 	
	 Nasogastric feeding will begin when you are fully awake Speech and Language Therapy (SLT) will assess your swallowing 	
	 Pain team will see you to optimise your pain relief If required, make sure you are confident in how to use your PCA 	
	 If you have been kept asleep overnight then you will be gradually woken and your team will remove your breathing tube after the surgeons have seen you Your team will remove your urinary catheter and help you to mobilise in the afternoon 	
	 Raise any questions or concerns to your team Your team will ensure you have a white board or communication chart available at the bedside to help with your communication 	

Day 2 after your surgery

Task		Completed
	Deep breathing exercises throughout the daySit out of bed twice for three hours at a timeWalk 60 metres twice in the day	
	 SLT review to guide progression of eating and drinking 	
	 Make your team aware if you are in pain Pain team will see you to optimise your pain relief Continue using your PCA; your team will consider adding anti-inflammatory pain relief 	
	 Your team will remove your neck drain when output is <30ml/24 hours 	
	Raise any questions or concerns to your teamStart to learn how to care for your laryngectomy stoma	

Day 3 after your surgery

Task		Completed
	Deep breathing exercises throughout the daySit out of bed most of the dayWalk 200 metres twice in the day	
(SLT review to guide progression of eating and drinkingIf you have not previously had radiotherapy you will start sips of water today	
	 Make your team aware if you are in pain Pain team will see you to optimise your pain relief Stop PCA in the morning and start regular oral analgesia and laxatives as directed 	
	 Your team may remove your flap drains today if appropriate Your team will remove your central venous catheter (CVC) if not needed 	
	 Raise any questions or concerns to your team Continue planning your discharge (refer to SAFER discharge checklist on page 14) Your team will start ordering equipment that you will need when you are discharged Continue to learn how to care for your laryngectomy stoma 	

Day 4 after your surgery

Task		Completed
	Deep breathing exercises throughout the daySit out of bed most of the dayWalk 200 metres twice in the day	
	SLT review to guide progression of eating and drinkingDrink sips of water	
	Make your team aware if you are in painPain team will see you to optimise your pain relief	
	– Your team may remove your flap drain you have one	
	 Raise any questions or concerns to your team Continue planning your discharge (refer to SAFER discharge checklist on page 14) 	
	Your team will continue to arrange equipment required for discharge	

Day 5 after your surgery

Task		Completed
	Mobilise freelyStay out of bed all dayWear your own clothes	
(SLT review to guide progression of drinkingProgress to clear fluid as directed	
	Make your team aware if you are in painYour team will prepare your discharge medications	
	– No actions required today	
	 Raise any questions or concerns to your team Continue planning your discharge (refer to SAFER discharge checklist on page 14) 	
	 Your team will continue to arrange equipment required for discharge 	

Day 6 after your surgery

Task		Completed
	Mobilise freelyStay out of bed all dayWear your own clothes	
(SLT review to guide progression of eating and drinkingProgress to soft diet as directed	
	Make your team aware if you are in painYour team will ensure your discharge medications are ready	
	– Make sure you are confident caring for your laryngectomy stoma	
	 Raise any questions or concerns to your team Continue planning your discharge (refer to SAFER discharge checklist on page 14) Your team will continue to arrange equipment required for discharge 	

Days 7–11 after your surgery

Task		Completed
	 Dress and mobilise freely in preparation for your discharge 	
	- SLT review to guide progression of eating and drinking	g 🗌
	 You will have all your medications explained to you before discharge 	
	– Your team will remove your cannulas	
	 Raise any questions or concerns with your team If you have a Tracheo-esophageal Puncture (TEP) you will learn how to use it and related emergency care Ensure you are confident with all self-care before discharge On day 11 – Discharge home – SAFER discharge checklist achieved (on page 14) 	

Frequently asked questions

When can I start driving?

You can drive as soon as you are off strong painkillers and can confidently perform an emergency stop, if in doubt please contact your insurer.

When is my next appointment?

Your discharge summary will include information on follow up appointments, duration of discharge medication and who to contact if you have questions.

SAFER Clinical Criteria for Discharge (CCD)

- Mobilising freely
- 2. Adequate nutritional intake either orally or via enteral route
- 3. Pain well controlled with oral or enteral analgesia
- 4. All lines/drains removed; or plan for removal as outpatient
- 5. TEP training/emergency care training completed
- 6. Laryngectomy checklist and equipment order complete
- 7. All concerns addressed, contact details given, follow up arranged.

Basic wound care

- Keep wounds clean and dry
- Cleanse in the shower
- Gently dry with a clean towel
- Avoid using soap on the wound
- Unless oozing or rubbing on clothing keep wounds exposed to allow them to heal

You may have skin clips or stitches. These are usually taken out between 10-14 days after surgery. Your team will give you detailed instructions and will make sure you know where to go to get this done before you leave hospital. This is sometimes done at your local GP practice.



Surgical skin clips



Removable stitches



Tegaderm dressing

Copyright © 2020 The Royal Marsden NHS Foundation Trust All rights reserved

Published March 2020 Planned review March 2023

This booklet is evidence based wherever the appropriate evidence is available, and represents an accumulation of expert opinion and professional interpretation.

Details of the references used in writing this booklet are available on request

from: The Royal Marsden Help Centre

Freephone: 0800 783 7176

Email: patientcentre@rmh.nhs.uk

The Royal Marsden NHS Foundation Trust Fulham Road London SW3 6JJ

www.royalmarsden.nhs.uk

No part of this booklet may be reproduced in any way whatsoever without written permission except in the case of brief quotations embodied in critical articles and reviews.

No conflicts of interest were declared in the production of this booklet.

The information in this booklet is correct at the time of going to print.



Contact details

It is **very important** that if you have any concerns or problems after leaving hospital, you contact someone as soon as possible.

Your key worker:

The Royal Marsden Macmillan Hotline

020 8915 6899 (available 24 hours a day, seven days a week)

Other useful sources of patient information:

Macmillan Cancer Support

www.macmillan.org.uk 0808 808 0000 (free phone)

Macmillan provides information and support on cancer from diagnosis to treatment and beyond. A wide range of resources are also offered.

Cancer Research UK

www.cancerresearchuk.org

CRUK has a patient information website, with information on all types of cancer and treatment choices







